







## FIND YOUR FLARE

Flare Fireplaces merges contemporary, ergonomic design with practicality and efficiency. Whether you're looking for a stunning centerpiece or a heating unit for your home or business, Flare is your one stop source for high-end fireplaces that can do it all.

Our frameless, linear, direct-vent fireplaces are made to the highest quality and safety standards. Flare Fireplaces offers simple installation and maximum flexibility with over 80 different models and extensive options. Choose from 7 different types of fireplace, each ranging from 30 to 100 inches long with the option for either 16, 24, or 30-inch glass height. Enjoy your Flare for years to come, as all of our models come with a 10-year warranty.

### **CONTENTS**

3	Key Features
5	Optional Features
6	Home Automation
7	Power Vent
8	Commercial Line
9	Summer Kit
10	Outdoor Kit
11-12	Decorative Media
13-14	Front Facing
15-16	See Through
17-18	Right Corner
19-20	Left Corner
21-22	Double Corner
23-24	Room Definer
25-26	Passage Front
27-28	Passage See-Through
29-30	Picture Key

## **KEY FEATURES**



### STYLE CHARACTERISTICS

Seven different presentations, each from 30-100 inches long.¹ Standard 16-inch glass height, 24-inch High Glass, or 30-inch Extra High Glass option available for all models. Frameless design. Residential and commercial use.



### COOL TOUCH

All of our models are designed so surrounding walls stay relatively cool, allowing you to hang a TV or art piece closer to the fireplace with less insulation to save you time, money, and effort.



 $^{1}$ Room Definer from 45 to 100 inches.  $^{2}$  All 30 inch fireplace models come with 24-inch high glass.

### EASY INSTALL AND SERVICE

Telescopic Legs let you easily plan and adjust the fireplace height.

Easy access to the vent restrictor and air shutter allows quick calibration of flame height & color.

Smoke free paint with no burn period.

### BURNERS AND GAS

3D Stainless Steel burners give more depth to the flame. The multiple burner system allows the flame to extend closer to the edges. Electronic Ignition.

Power Adapter and Battery Backup.

Natural Gas or Propane.

### CERTIFICATES AND COMPLIANCE

Complying with North American standards<sup>3</sup> as well as state requirements in CA, MA, and NY.
High Efficiency ratings.
Certified for use with DuraVent 3x5, 4x6, or 5x8 direct vents.<sup>4</sup>

### QUALITY AND COMFORT

Compatible with home automation systems.

Advanced programable remote control.

Easy to use touch wall switch.

Classic Decorative Media included.

10 year warranty.








<sup>3</sup> ANSI Z21.88 - CSA 2.33 Vented Gas Fireplace Heaters.

## **OPTIONAL FEATURES**

### COOLED **GLASS**

Cooled external glass serves as a sleek safety barrier while maintaining the same heat output and efficiency. Frameless corners allow a clear view to the flames. Power venting not required. Suitable for residential and commercial use alike.




### **LED** LIGHTING

Available in a radiant multi-colored option. Remote included.

### REFLECTIVE **BACK AND SIDES**

Let the flames stand out against a black-mirrored ceramic glass background, adding amazing depth to any



### WALL **TIMER**

Simple wall-mounted timer. With the flexibility for mounting up to 100' away.

### **CUSTOM UNITS**

Custom lengths and heights for special projects. Contact for more details and pricing.





## HOME AUTOMATION

You can easily connect your Flare
Fireplace to a new or existing home
automation hub using our "Home
Automation Cable", included with every
Flare fireplace. This modern feature
allows you to turn your fireplace on
and off, and adds a modern twist to the
heart of your smart-home.





## **POWER VENT**

## IN-LINE **SYSTEM**

The in-line Power Vent allows vent runs of up to 100 feet. Designed for downward or extremely long horizontal runs. The system uses DuraVent 3x5 vents.





## END-OF-LINE **VERTICAL**


The End of Line Vertical Power Vent allows vent runs of up to 100 feet. Designed for downward or extremely long horizontal runs. The system uses DuraVent 3x5 vents.

## FLUSH END-OF-LINE **HORIZONTAL**

The End of Line Horizontal Power Vent sits flush against your external wall. It allows vent runs of up to 100 feet. Designed for downward or extremely long horizontal runs. The system uses DuraVent 3x5 vents.



# **COMMERCIAL LINE**



Flare Fireplaces are perfect commercial use whether indoors or out. The taller glass option increases the viewing angle and the Double Glass feature comes standard for extra safety. Also included is a commercial grade gas valve so you can be confident Flare will integrate flawlessly into your restaurant, hotel, or local business.






## **SUMMER KIT**

#### **IN-LINE**

#### **SUMMER KIT**

The perfect solution for moving heat from your fireplace chase to any outdoor termination point. Using flex pipe you can effectively run the heat your fireplace creates up to 80 feet, terminating on an exterior sidewall, allowing for operation of the fireplace without the heat it produces during the summer months.



#### FLUSH END-OF-LINE

#### **SUMMER KIT**

This secondary option in our Summer Kit lineup opens up even more possibilities for installation across a wider array of projects. By offering an end of line horizontal termination you no longer have to worry about where to place the Summer Kit fan for service. You also reduce the noise level by allowing the installation of the fan to be further away from the fireplace.




# **OUTDOOR KIT**

\*The Flare Outdoor Kit provides the freedom to enjoy a Flare Fireplace in your favorite setting.

Use a Front Facing unit as the perfect centerpiece for your relaxing outside patio, or install the See

Through Fireplace on an external wall for a unique, multi-purpose window. Our specially designed weatherproof kit comes with the same 10 year warranty as the rest of our line.



<sup>\*</sup>Available only for See Through and Passage models.

# **DECORATIVE MEDIA**














# **FRONT FACING**





Model	BTU/hr (max)	BTU/hr (min)	Efficiency
Flare-FF-100/H/EH	60,000	32,500	80.3%
Flare-FF-80/H/EH	55,700	31,000	79.7%
Flare-FF-70/H/EH	52,200	28,000	79.8%
Flare-FF-60/H/EH	50,000	28,000	79.2%
Flare-FF-50/H/EH	47,000	22,750	79.3%
Flare-FF-45/H/EH	36,800	22,000	79.2%
*Flare-FF-30	34,000	18,500	79.5%




Model	A	В	С	Н	Е
Flare-FF-100	101 8/16	97 3/16	16	28	5x8
Flare-FF-80	84 9/16	80 1/16	16	28	5x8
Flare-FF-70	71 15/16	67 11/16	16	28	5x8
Flare-FF-60	62 2/16	57 13/16	16	28	5x8
Flare-FF-50	52 5/16	48	16	28	5x8
Flare-FF-45	45 9/16	41 5/16	16	28	4x6
*Flare-FF-30	32 10/16	28 5/16	*24	35 14/16	4x6
Flare-FF-100-H	101 8/16	97 3/16	24	35 14/16	5x8
Flare-FF-80-H	84 9/16	80 1/16	24	35 14/16	5x8
Flare-FF-70-H	71 15/16	67 11/16	24	35 14/16	5x8
Flare-FF-60-H	62 2/16	57 13/16	24	35 14/16	5x8
Flare-FF-50-H	52 5/16	48	24	35 14/16	5x8
Flare-FF-45-H	45 9/16	41 5/16	24	35 14/16	4x6
Flare-FF-100-EH	101 8/16	97 3/16	30	42 1/8	5x8
Flare-FF-80-EH	84 9/16	80 1/16	30	42 1/8	5x8
Flare-FF-70-EH	71 15/16	67 11/16	30	42 1/8	5x8
Flare-FF-60-EH	62 2/16	57 13/16	30	42 1/8	5x8
Flare-FF-50-EH	52 5/16	48	30	42 1/8	5x8
Flare-FF-45-EH	45 9/16	41 5/16	30	42 1/8	4x6

# **SEE THROUGH**






Model	BTU/hr (max)	BTU/hr (min)	Efficiency
Flare-ST-100/H/EH	60,000	32,500	80.1
Flare-ST-80/H/EH	55,700	31,000	79.6
Flare-ST-70/H/EH	52,200	28,000	79.4
Flare-ST-60/H/EH	50,000	28,000	79.6
Flare-ST-50/H/EH	47,000	22,750	79.9
Flare-ST-45/H/EH	36,800	22,000	79.2
*Flare-ST-30	34,000	18,500	79.5




Model	A	В	С	Н	Е
Flare-ST-100	101 8/16	97 3/16	16	28	5x8
Flare-ST-80	84 9/16	80 1/16	16	28	5x8
Flare-ST-70	71 15/16	67 8/16	16	28	5x8
Flare-ST-60	62 2/16	57 13/16	16	28	5x8
Flare-ST-50	52 5/16	48	16	28	5x8
Flare-ST-45	45 9/16	41 5/16	16	28	4x6
*Flare-ST-30	32 10/16	28 5/16	*24	35 14/16	4x6
Flare-ST-100-H	101 8/16	97 3/16	24	35 14/16	5x8
Flare-ST-80-H	84 9/16	80 1/16	24	35 14/16	5x8
Flare-ST-70-H	71 15/16	67 8/16	24	35 14/16	5x8
Flare-ST-60-H	62 2/16	57 13/16	24	35 14/16	5x8
Flare-ST-50-H	52 5/16	48	24	35 14/16	5x8
Flare-ST-45-H	45 9/16	41 5/16	24	35 14/16	4x6
Flare-ST-100-EH	101 8/16	97 3/16	30	42 1/8	5x8
Flare-ST-80-EH	84 9/16	80 1/16	30	42 1/8	5x8
Flare-ST-70-EH	71 15/16	67 8/16	30	42 1/8	5x8
Flare-ST-60-EH	62 2/16	57 13/16	30	42 1/8	5x8
Flare-ST-50-EH	52 5/16	48	30	42 1/8	5x8
Flare-ST-45-EH	45 9/16	41 5/16	30	42 1/8	4x6

# RIGHT CORNER







Model	BTU/hr (max)	BTU/hr (min)	Efficiency
Flare-RC-100/H/EH	60,000	32,500	80.5
Flare-RC-80/H/EH	55,700	31,000	80.2
Flare-RC-70/H/EH	52,200	28,000	79.9
Flare-RC-60/H/EH	50,000	28,000	79.8
Flare-RC-50/H/EH	47,000	22,750	79.8
Flare-RC-45/H/EH	36,800	22,000	79.7
*Flare-RC-30	34,000	18,500	79.4




Model	A	В	С	Н	Е
Flare-RC-100	100"	97 3/16"	16"	28"	5" x 8"
Flare-RC-80	83 1/16"	80 4/16"	16"	28"	5" x 8"
Flare-RC-70	70 8/16"	67 10/16"	16"	28"	5" x 8"
Flare-RC-60	60 10/16"	57 13/16"	16"	28"	5" x 8"
Flare-RC-50	50 13/16"	47 15/16"	16"	28"	5" x 8"
Flare-RC-45	44 2/16"	41 4/16"	16"	28"	4" x 6"
*Flare-RC-30	31 2/16"	28 3/16"	24"	35 14/16"	4" x 6"
Flare-RC-100-H	100"	97 3/16"	24"	35 14/16"	5" x 8"
Flare-RC-80-H	83 1/16"	80 4/16"	24"	35 14/16"	5" x 8"
Flare-RC-70-H	70 8/16"	67 10/16"	24"	35 14/16"	5" x 8"
Flare-RC-60-H	60 10/16"	57 13/16"	24"	35 14/16"	5" x 8"
Flare-RC-50-H	50 13/16"	47 15/16"	24"	35 14/16"	5" x 8"
Flare-RC-45-H	44 2/16"	41 4/16"	24"	35 14/16"	4" x 6"
Flare-RC-100-EH	100"	97 3/16"	30"	42 3/16"	5" x 8"
Flare-RC-80-EH	83 1/16"	80 4/16"	30"	42 3/16"	5" x 8"
Flare-RC-70-EH	70 8/16"	67 10/16"	30"	42 3/16"	5" x 8"
Flare-RC-60-EH	60 10/16"	57 13/16"	30"	42 3/16"	5" x 8"
Flare-RC-50-EH	50 13/16"	47 15/16"	30"	42 3/16"	5" x 8"
Flare-RC-45-EH	44 2/16"	41 4/16"	30"	42 3/16"	4" x 6"

# **LEFT CORNER**









Model	A	В	С	Н	E
Flare-LC-100	100"	97 3/16"	16"	28"	5" x 8"
Flare-LC-80	83 1/16"	80 4/16"	16"	28"	5" x 8"
Flare-LC-70	70 8/16"	67 10/16"	16"	28"	5" x 8"
Flare-LC-60	60 10/16"	57 13/16"	16"	28"	5" x 8"
Flare-LC-50	50 13/16"	47 15/16"	16"	28"	5" x 8"
Flare-LC-45	44 2/16"	41 4/16"	16"	28"	4" x 6"
*Flare-LC-30	31 2/16"	28 3/16"	24"	35 14/16"	4" x 6"
Flare-LC-100-H	100"	97 3/16"	24"	35 14/16"	5" x 8"
Flare-LC-80-H	83 1/16"	80 4/16"	24"	35 14/16"	5" x 8"
Flare-LC-70-H	70 8/16"	67 10/16"	24"	35 14/16"	5" x 8"
Flare-LC-60-H	60 10/16"	57 13/16"	24"	35 14/16"	5" x 8"
Flare-LC-50-H	50 13/16"	47 15/16"	24"	35 14/16"	5" x 8"
Flare-LC-45-H	44 2/16"	41 4/16"	24"	35 14/16"	4" x 6"
Flare-LC-100-EH	100"	97 3/16"	30"	42 3/16"	5" x 8"
Flare-LC-80-EH	83 1/16"	80 4/16"	30"	42 3/16"	5" x 8"
Flare-LC-70-EH	70 8/16"	67 10/16"	30"	42 3/16"	5" x 8"
Flare-LC-60-EH	60 10/16"	57 13/16"	30"	42 3/16"	5" x 8"
Flare-LC-50-EH	50 13/16"	47 15/16"	30"	42 3/16"	5" x 8"
Flare-LC-45-EH	44 2/16"	41 4/16"	30"	42 3/16"	4" x 6"



# **DOUBLE CORNER**










Model	A	В	С	Н	Е
Flare-DC-100	101 8/16"	99 4/16"	16"	28"	5" x 8"
Flare-DC-80	83 9/16"	82 9/16"	16"	28"	5" x 8"
Flare-DC-70	71"	69 11/16"	16"	28"	5" x 8"
Flare-DC-60	61 2/16"	59 14/16"	16"	28"	5" x 8"
Flare-DC-50	51 5/16"	50"	16"	28"	5" x 8"
Flare-DC-45	44 10/16"	43 5/16"	16"	28"	4" x 6"
*Flare-DC-30	31 10/16"	30 5/16"	24"	35 14/16"	4" x 6"
Flare-DC-100-H	101 8/16"	99 4/16"	24"	35 14/16"	5" x 8"
Flare-DC-80-H	83 9/16"	82 9/16"	24"	35 14/16"	5" x 8"
Flare-DC-70-H	71"	69 11/16"	24"	35 14/16"	5" x 8"
Flare-DC-60-H	61 2/16"	59 14/16"	24"	35 14/16"	5" x 8"
Flare-DC-50-H	51 5/16"	50"	24"	35 14/16"	5" x 8"
Flare-DC-45-H	44 10/16"	43 5/16"	24"	35 14/16"	4" x 6"
Flare-DC-100-EH	101 8/16"	99 4/16"	30"	42 3/16"	5" x 8"
Flare-DC-80-EH	83 9/16"	82 9/16"	30"	42 3/16"	5" x 8"
Flare-DC-70-EH	71"	69 11/16"	30"	42 3/16"	5" x 8"
Flare-DC-60-EH	61 2/16"	59 14/16"	30"	42 3/16"	5" x 8"
Flare-DC-50-EH	51 5/16"	50"	30"	42 3/16"	5" x 8"
Flare-DC-45-EH	44 10/16"	43 5/16"	30"	42 3/16"	4" x 6"



# **ROOM DEFINER**







Model	A	В	С	Н	E
Flare-RD-100	102 12/16	96 12/16	16	28 12/16	5x8
Flare-RD-80	86	80	16	28 12/16	5x8
Flare-RD-70	73 4/16	65 12/16	16	28 12/16	5x8
Flare-RD-60	63 6/16	55 14/16	16	28 12/16	5x8
Flare-RD-50	53 9/16	46 1/16	16	28 12/16	5x8
Flare-RD-45	46 15/16	40 15/16	16	28 12/16	5x8
Flare-RD-100-H	102 12/16	96 12/16	24	36 10/16	5x8
Flare-RD-80-H	86	80	24	36 10/16	5x8
Flare-RD-70-H	73 4/16	65 12/16	24	36 10/16	5x8
Flare-RD-60-H	63 6/16	55 14/16	24	36 10/16	5x8
Flare-RD-50-H	53 9/16	46 1/16	24	36 10/16	5x8
Flare-RD-45-H	46 15/16	40 15/16	24	36 10/16	5x8
Flare-RD-100-EH	102 12/16	96 12/16	30	42 7/8	5x8
Flare-RD-80-EH	86	80	30	42 7/8	5x8
Flare-RD-70-EH	73 4/16	65 12/16	30	42 7/8	5x8
Flare-RD-60-EH	63 6/16	55 14/16	30	42 7/8	5x8
Flare-RD-50-EH	53 9/16	46 1/16	30	42 7/8	5x8
Flare-RD-45-EH	46 15/16	40 15/16	30	42 7/8	5x8





# **PASSAGE FRONT**





Model	BTU/hr (max)	BTU/hr (min)	Efficiency
PAS-FF-30-EH	34,000	26,200	80.4





Model	A	В	С	Н	E
PAS-FF-30-EH	30	28	60	82	5x8


## PASSAGE SEE THROUGH


Flare's brand new Passage See Through fireplace offers a vertical design with a window you can see through. Intended to offer a modern twist on the linear design Flare is known for, the double sided fireplace creates an impressive visual experience, designed to give a new perspective on what a modern fireplace can be.






Model	BTU/hr (max)	BTU/hr (min)	Efficiency
PAS-ST-30-EH	34,000	26,200	80.4





Model	A	В	С	Н	Е
PAS-ST-30-EH	30	28	60	82	5x8



### PICTURE KEY

**COVER** 

See Through 70

PAGE 1

Double Corner 80 Screened

PAGE 3

Room Definer 70

**Double Corner 60** 

Room Definer 45 Screened

PAGE 4

Left Corner 100 High

Front Facing 80

PAGE 5

**Double Corner 60** 

PAGE 6

Front Facing 100

PAGE 8

See Through 100 H Indoor/Outdoor

<u>PAGE 10</u>

See-Through 100 H Indoor/Outdoor

**PAGE 13** 

Front Facing 80 High

**PAGE 15** 

See Through 100

**PAGE 17** 

Right Corner 70 High Screened

**PAGE 19** 

Left Corner 80 High

PAGE 21

Double Corner 50

PAGE 23

Room Definer 50

PAGE 25

Passage Front

**PAGE 27** 

Passage See Through


PAGE 29

Room Definer 60

**BACK COVER** 

Room Definer 60 Extra High







Flare Fireplaces LLC 890 N. Dorothy Dr. Suite 900 Richardson, TX 75081

Phone/ Fax: 1-866-639-1590







SCAN FOR CONTINUOUS EDUCATION CREDIT