






# Flare Front 60 Commercial




Telescopic Leg Range  
From bottom of glass: 10"-19"



## Chimney Installation



### Horizontal Termination

For 5 x 8 vent size create 10" x 12" vent termination opening




### Vertical Termination


For 5 x 8 vent size create 10" x 10" vent termination opening



## Flat Installation




## L Shape Installation




4.5" Max.  
Top Of Recess

### Step 1 - Basic Framing :





### Step 1 - Basic Framing :




## Flat Installation

### Step 2 -Positioning the Fireplace:





### Last Step - Finishing The Fireplace Wall:




## L Shape Installation

### Step 2 -Positioning the Fireplace:




### Step 3 - Framing Front Studs For L Shape:



## L Shape Finishing Install

Last Step - Finishing The Fireplace Wall:



## Specifications for Appliance Flare Front 60 Commercial

| Factor                  | NG                               | LPG                  |
|-------------------------|----------------------------------|----------------------|
| Burner Type             | 35,55,35                         | 35,55,35             |
| Orifice                 | 500,800,500                      | 160,220,160          |
| BTU Max.                | 50000                            | 41000                |
| BTU min.                | 28000                            | 20000                |
| Kw/h                    | 14.6k                            | 10.2k                |
| Chimney DIA.            | 5X8                              | 5X8                  |
| Manifold Pressure[w.c]  | Screen – 2.8<br>Double glass - 6 | 6.2                  |
| Efficiency rate         | 77                               | 80                   |
|                         |                                  |                      |
| Glass Size Length\Width | 1455 X 423 mm                    | 57" 1/4 X 16" 11/16' |
| Appliance Weigh         | 175Kg                            | 385lb                |