



FLARE FIREPLACES

GAS
DIRECT
VENT



FRAMELESS LINEAR MODERN



ABOUT

Flare Fireplaces merges contemporary, ergonomic design with practicality and efficiency. Whether you're looking for a stunning centerpiece or a heating unit for your home or business, Flare is your one stop source for high end fireplaces that can do it all.

Our frameless, linear, direct-vent fireplaces are made to the highest quality and safety standards. Flare Fireplaces offer simple installation and maximum flexibility with over 80 different models and extensive options. Choose from 6 different types of fireplace, each ranging from 30 to 100 inches long and either 16, 24, or 30-inch glass height. Enjoy your Flare for years to come as all of our models come with a 10-year warranty.

CONTENTS

3 - 4	Key Features
5	Optional Features
6	Home Automation
7	Power Vent
8	Commercial Line
9	Summer Kit
10	Outdoor Kit
11 - 12	Decorative Media
13 - 14	Front Facing
15 - 16	See Through
17 - 18	Right Corner
19 - 20	Left Corner
21 - 22	Double Corner
23 - 24	Room Definer
25	Picture Key

KEY FEATURES



STYLE CHARACTERISTICS

Six different presentations, each from 30-100 inches long.¹

Standard 16-inch glass height or 24-inch High Glass option available for all models.²

Frameless design.

Residential and commercial use.



COOL TOUCH WALL DESIGN

All of our models are designed so surrounding walls stay relatively cool, allowing you to hang a TV or art piece closer to the fireplace with less insulation to save you time, money, and effort.



EASY INSTALL AND SERVICE

Telescopic Legs let you easily plan and adjust the fireplace height.

Easy access to the vent restrictor and air shutter allows quick calibration of flame height & color.

Smoke free paint with no burn period.

¹Room Definer from 45 to 100 inches. ²30 inch models come with 24-inch high glass.

BURNERS AND GAS

3D Stainless Steel burners give more depth to the flame. The multiple burner system allows the flame to extend closer to the edges. Electronic Ignition. Power Adapter and Battery Backup. Natural Gas or Propane.



CERTIFICATES AND COMPLIANCE

Complying with North American standards³ as well as state requirements in CA, MA, and NY. High Efficiency ratings. Certified for use with DuraVent 3x5, 4x6, or 5x8 direct vents.⁴



QUALITY AND COMFORT

Compatible with home automation systems. Advanced programmable remote control. Easy to use touch wall switch. Classic Decorative Media included. 10 year warranty.




³ ANSI Z21.88 - CSA 2.33 Vented Gas Fireplace Heaters. ⁴ depending on model and venting.

OPTIONAL FEATURES

DOUBLE GLASS

Cooled external glass serves as a sleek safety barrier while maintaining the same heat output and efficiency. Frameless corners allow a clear view to the flames. Power venting not required. Suitable for residential and commercial use alike.



LED LIGHTING

Available in a radiant multi-colored option. Remote included.



REFLECTIVE BACK

Let the flames stand out against a black-mirrored ceramic glass background, adding amazing depth to any unit

WALL TIMER

Simple wall-mounted timer. Available in digital or analog.

TRIM COVER

For a clean surface from the glass to surrounding finish.

CUSTOM UNITS

Custom lengths and heights for special projects.



HOME AUTOMATION

Myfire© Smart Control phone application allows full control of your new modern linear gas fireplace using a smart hand-held device.


Used in conjunction with the Flare remote or wall switch, the Myfire© app makes it possible for users to control multiple fireplaces at their homes or business with a hand-held Apple or Android device. It can also be set up to integrate with an existing home automation system



POWER VENT

IN-LINE SYSTEM

The inline Power Vent allows vent runs of up to 100 feet. Designed for downward or extremely long horizontal runs. The system uses DuraVent 3x5 vents.



END-OF-LINE VERTICAL

The End of Line Vertical Power Vent allows vent runs of up to 100 feet. Designed for downward or extremely long horizontal runs. The system uses DuraVent 3x5 vents.

FLUSH END-OF-LINE HORIZONTAL

The End of Line Horizontal Power Vent sits flush against your external wall. It allows vent runs of up to 100 feet. Designed for downward or extremely long horizontal runs. The system uses DuraVent 3x5 vents.



COMMERCIAL LINE




Flare Fireplaces are perfect commercial use whether indoors or out. The taller glass option increases the viewing angle and the Double Glass feature comes standard for extra safety. Also included is a commercial grade gas valve so you can be confident Flare will integrate flawlessly into your restaurant, hotel, or local business.



SUMMER KIT


The Summer Kit heat transfer system reduces heat output to your home so you can enjoy your Flare fireplace all year long or even in warmer climates. Can be disabled in winter.



OUTDOOR KIT

The Flare Outdoor Kit provides the freedom to enjoy a Flare Fireplace in your favorite setting. Use a Front Facing unit as the perfect centerpiece for your relaxing outside patio or install the See Through Fireplace on an external wall for a unique, multi-purpose window.

Our specially designed weatherproof kit comes with the same 10 year warranty as the rest of our line.



DECORATIVE MEDIA



Reflective Silver Fireglass




Reflective Bronze Fireglass



Reflective Ice Fireglass



Clear Fireglass




Black Fireglass



Gold Fireglass



Black FireGlass 2.0



Bronze FireGlass 2.0



Clear FireGlass 2.0



White Ceramic Pebbles



Black Ceramic Pebbles



Mixed-size Earth Pebbles



Cottage White Stones



Mesa Red Stones



Sundance Yellow Stones



Cape Grey Stone Balls



White Stone Balls



Black Stone Balls



Tan Wood Chips



Black Wood Chips



Ceramic Gas Logs



Ceramic Branches



Ceramic White Logs



Large or Small Driftwood


FRONT FACING

Ideal for modern and contemporary rooms, replacing an existing fireplace or as a new installation. Available in three different glass heights and widths ranging from 30 to 100 inches, giving a sleek linear look. Indoor & outdoor options available.



SPECIFICATIONS


Model	BTU/hr (max)	BTU/hr (min)	Efficiency
Flare-FF-100/H/EH	65813	32500	80.3%
Flare-FF-80/H/EH	57629	31000	79.7%
Flare-FF-70/H/EH	55583	28000	79.8%
Flare-FF-60/H/EH	52173	28000	79.2%
Flare-FF-50/H/EH	46035	22750	79.3%
Flare-FF-45/H/EH	42966	22000	79.2%
Flare-FF-30	34782	18500	79.5%



Model	A	B	C	H	E
Flare-FF-100	101 8/16	97 3/16	16	28	5x8
Flare-FF-80	84 9/16	80 1/16	16	28	5x8
Flare-FF-70	71 15/16	67 11/16	16	28	5x8
Flare-FF-60	62 2/16	57 13/16	16	28	5x8
Flare-FF-50	52 5/16	48	16	28	5x8
Flare-FF-45	45 9/16	41 5/16	16	28	4x6
Flare-FF-30	32 10/16	28 5/16	24	35 14/16	4x6
Flare-FF-100-H	101 8/16	97 3/16	24	35 14/16	5x8
Flare-FF-80-H	84 9/16	80 1/16	24	35 14/16	5x8
Flare-FF-70-H	71 15/16	67 11/16	24	35 14/16	5x8
Flare-FF-60-H	62 2/16	57 13/16	24	35 14/16	5x8
Flare-FF-50-H	52 5/16	48	24	35 14/16	5x8
Flare-FF-45-H	45 9/16	41 5/16	24	35 14/16	4x6
Flare-FF-100-EH	101 8/16	97 3/16	30	42 1/8	5x8
Flare-FF-80-EH	84 9/16	80 1/16	30	42 1/8	5x8
Flare-FF-70-EH	71 15/16	67 11/16	30	42 1/8	5x8
Flare-FF-60-EH	62 2/16	57 13/16	30	42 1/8	5x8
Flare-FF-50-EH	52 5/16	48	30	42 1/8	5x8
Flare-FF-45-EH	45 9/16	41 5/16	30	42 1/8	4x6


SEE THROUGH

Stylish, minimalist design that allows fireplace viewing from two adjacent rooms. Available in three different glass heights: 16", 24", and 30". Available for indoor and outdoor, perfect for mounting a TV above.



SPECIFICATIONS

Model	BTU/hr (max)	BTU/hr (min)	Efficiency
Flare-ST-100/H/EH	65813	32500	80.1
Flare-ST-80/H/EH	57629	31000	79.6
Flare-ST-70/H/EH	55583	28000	79.4
Flare-ST-60/H/EH	52173	28000	79.6
Flare-ST-50/H/EH	46035	22750	79.9
Flare-ST-45/H/EH	42966	22000	79.2
Flare-ST-30	34782	18500	79.5



Model	A	B	C	H	E
Flare-ST-100	101 8/16	97 3/16	16	28	5x8
Flare-ST-80	84 9/16	80 1/16	16	28	5x8
Flare-ST-70	71 15/16	67 8/16	16	28	5x8
Flare-ST-60	62 2/16	57 13/16	16	28	5x8
Flare-ST-50	52 5/16	48	16	28	5x8
Flare-ST-45	45 9/16	41 5/16	16	28	4x6
Flare-ST-30	32 10/16	28 5/16	24	35 14/16	4x6
Flare-ST-100-H	101 8/16	97 3/16	24	35 14/16	5x8
Flare-ST-80-H	84 9/16	80 1/16	24	35 14/16	5x8
Flare-ST-70-H	71 15/16	67 8/16	24	35 14/16	5x8
Flare-ST-60-H	62 2/16	57 13/16	24	35 14/16	5x8
Flare-ST-50-H	52 5/16	48	24	35 14/16	5x8
Flare-ST-45-H	45 9/16	41 5/16	24	35 14/16	4x6
Flare-ST-100-EH	101 8/16	97 3/16	30	42 1/8	5x8
Flare-ST-80-EH	84 9/16	80 1/16	30	42 1/8	5x8
Flare-ST-70-EH	71 15/16	67 8/16	30	42 1/8	5x8
Flare-ST-60-EH	62 2/16	57 13/16	30	42 1/8	5x8
Flare-ST-50-EH	52 5/16	48	30	42 1/8	5x8
Flare-ST-45-EH	45 9/16	41 5/16	30	42 1/8	4x6

RIGHT CORNER


The right corner fireplace allows more viewing angles with its innovative design. The frameless glass corner attracts the eye, making it the center of attention. A luxurious fireplace experience, clean design, superior build quality and features.



SPECIFICATIONS



Model	BTU/hr (max)	BTU/hr (min)	Efficiency
Flare-RC-100	65813	32500	80.5
Flare-RC-80	57629	31000	80.2
Flare-RC-70	55583	28000	79.9
Flare-RC-60	52173	28000	79.8
Flare-RC-50	46035	22750	79.8
Flare-RC-45	42966	22000	79.7
Flare-RC-30	34782	18500	79.4
Flare-RC-100-H	65813	32500	80.5
Flare-RC-80-H	57629	31000	80.2
Flare-RC-70-H	55583	28000	79.9
Flare-RC-60-H	52173	28000	79.8
Flare-RC-50-H	46035	22750	79.8
Flare-RC-45-H	42966	22000	79.7



Model	A	B	C	H	E
Flare-RC-100	100	97 3/16	16	28	5x8
Flare-RC-80	83 1/16	80 4/16	16	28	5x8
Flare-RC-70	70 8/16	67 10/16	16	28	5x8
Flare-RC-60	60 10/16	57 13/16	16	28	5x8
Flare-RC-50	50 13/16	47 15/16	16	28	5x8
Flare-RC-45	44 2/16	41 4/16	16	28	4x6
Flare-RC-30	31 2/16	28 3/16	24	35 14/16	4x6
Flare-RC-100-H	100	97 3/16	24	35 14/16	5x8
Flare-RC-80-H	83 1/16	80 4/16	24	35 14/16	5x8
Flare-RC-70-H	70 8/16	67 10/16	24	35 14/16	5x8
Flare-RC-60-H	60 10/16	57 13/16	24	35 14/16	5x8
Flare-RC-50-H	50 13/16	47 15/16	24	35 14/16	5x8
Flare-RC-45-H	44 2/16	41 4/16	24	35 14/16	4x6

LEFT CORNER


The left corner fireplace allows more viewing angles with its innovative design. The frameless glass corner attracts the eye, making it the center of attention. A luxurious fireplace experience, clean design, superior build quality and features.



SPECIFICATIONS



Model	BTU/hr (max)	BTU/hr (min)	Efficiency
Flare-LC-100	65813	32500	80.5
Flare-LC-80	57629	31000	80.2
Flare-LC-70	55583	28000	79.9
Flare-LC-60	52173	28000	79.8
Flare-LC-50	46035	22750	79.8
Flare-LC-45	42966	22000	79.7
Flare-LC-30	34782	18500	79.4
Flare-LC-100-H	65813	32500	80.5
Flare-LC-80-H	57629	31000	80.2
Flare-LC-70-H	55583	28000	79.9
Flare-LC-60-H	52173	28000	79.8
Flare-LC-50-H	46035	22750	79.8
Flare-LC-45-H	42966	22000	79.7



Model	A	B	C	H	E
Flare-LC-100	100	97 3/16	16	28	5x8
Flare-LC-80	83 1/16	80 4/16	16	28	5x8
Flare-LC-70	70 8/16	67 10/16	16	28	5x8
Flare-LC-60	60 10/16	57 13/16	16	28	5x8
Flare-LC-50	50 13/16	47 15/16	16	28	5x8
Flare-LC-45	44 2/16	41 4/16	16	28	4x6
Flare-LC-30	31 2/16	28 3/16	24	35 14/16	4x6
Flare-LC-100-H	100	97 3/16	24	35 14/16	5x8
Flare-LC-80-H	83 1/16	80 4/16	24	35 14/16	5x8
Flare-LC-70-H	70 8/16	67 10/16	24	35 14/16	5x8
Flare-LC-60-H	60 10/16	57 13/16	24	35 14/16	5x8
Flare-LC-50-H	50 13/16	47 15/16	24	35 14/16	5x8
Flare-LC-45-H	44 2/16	41 4/16	24	35 14/16	4x6


DOUBLE CORNER

An intriguing three-sided view of the fireplace makes the Flare Double Corner exceptionally stylish and practical. The fireplace corners are clean and smooth thanks to Flare's glass to glass technology.



SPECIFICATIONS

Model	BTU/hr (max)	BTU/hr (min)	Efficiency
Flare-DC-100	65813	32500	80.5
Flare-DC-80	57629	31000	80.2
Flare-DC-70	55583	28000	79.9
Flare-DC-60	52173	28000	79.8
Flare-DC-50	46035	22750	79.8
Flare-DC-45	42966	22000	79.7
Flare-DC-30	34782	18500	79.4
Flare-DC-100-H	65813	32500	80.5
Flare-DC-80-H	57629	31000	80.2
Flare-DC-70-H	55583	28000	79.9
Flare-DC-60-H	52173	28000	79.8
Flare-DC-50-H	46035	22750	79.8
Flare-DC-45-H	42966	22000	79.7



Model	A	B	C	H	E
Flare-DC-100	101 8/16	99 4/16	16	28	5x8
Flare-DC-80	83 9/16	82 9/16	16	28	5x8
Flare-DC-70	71	69 11/16	16	28	5x8
Flare-DC-60	61 2/16	59 14/16	16	28	5x8
Flare-DC-50	51 5/16	50	16	28	5x8
Flare-DC-45	44 10/16	43 5/16	16	28	4x6
Flare-DC-30	31 10/16	30 5/16	24	35 14/16	4x6
Flare-DC-100-H	101 8/16	99 4/16	24	35 14/16	5x8
Flare-DC-80-H	83 9/16	82 9/16	24	35 14/16	5x8
Flare-DC-70-H	71	69 11/16	24	35 14/16	5x8
Flare-DC-60-H	61 2/16	59 14/16	24	35 14/16	5x8
Flare-DC-50-H	51 5/16	50	24	35 14/16	5x8
Flare-DC-45-H	44 10/16	43 5/16	24	35 14/16	4x6

ROOM DEFINER


A stunning peninsula design with a side vent, intended as a room divider. The three glass sides creates an impressive and magnificent way to give character to any living area. The design possibilities are endless.



SPECIFICATIONS



Model	BTU/hr (max)	BTU/hr (min)	Efficiency
Flare-RD-100/H/EH	65813	32500	80.4
Flare-RD-80/H/EH	57629	31000	80.1
Flare-RD-70/H/EH	55583	28000	79.8
Flare-RD-60/H/EH	52173	28000	79.5
Flare-RD-50/H/EH	46035	22750	79.5
Flare-RD-45/H/EH	42966	22000	79.4



Model	A	B	C	H	E
Flare-RD-100	102 12/16	96 12/16	16	28 12/16	5x8
Flare-RD-80	86	80	16	28 12/16	5x8
Flare-RD-70	73 4/16	65 12/16	16	28 12/16	5x8
Flare-RD-60	63 6/16	55 14/16	16	28 12/16	5x8
Flare-RD-50	53 9/16	46 1/16	16	28 12/16	5x8
Flare-RD-45	46 15/16	40 15/16	16	28 12/16	5x8
Flare-RD-100-H	102 12/16	96 12/16	24	36 10/16	5x8
Flare-RD-80-H	86	80	24	36 10/16	5x8
Flare-RD-70-H	73 4/16	65 12/16	24	36 10/16	5x8
Flare-RD-60-H	63 6/16	55 14/16	24	36 10/16	5x8
Flare-RD-50-H	53 9/16	46 1/16	24	36 10/16	5x8
Flare-RD-45-H	46 15/16	40 15/16	24	36 10/16	5x8
Flare-RD-100-EH	102 12/16	96 12/16	30	42 7/8	5x8
Flare-RD-80-EH	86	80	30	42 7/8	5x8
Flare-RD-70-EH	73 4/16	65 12/16	30	42 7/8	5x8
Flare-RD-60-EH	63 6/16	55 14/16	30	42 7/8	5x8
Flare-RD-50-EH	53 9/16	46 1/16	30	42 7/8	5x8
Flare-RD-45-EH	46 15/16	40 15/16	30	42 7/8	5x8



PICTURE KEY

COVER

Left Corner 80" High

PAGE 1

See Through 60"

Double Corner 45" Screened

Left Corner 80" High

Room Definer 100"

PAGE 3

Room Definer 70"

Double Corner 45" Screened Double

Corner 60"

PAGE 4

See Through 30" High

PAGE 5

Front Facing 60" Outdoor

PAGE 6

Front Facing 80" High

PAGE 8

See Through 100" High Commercial

PAGE 9

Double Corner 80"

PAGE 10

Front Facing 50" Outdoor

PAGE 13

Front Facing 100"

PAGE 15

See Through 100" High Commercial

PAGE 17

Right Corner 80" High

PAGE 19

Left Corner 80" High

PAGE 21

Double Corner 50"

PAGE 23

Room Definer 50"

PAGE 26

Front Facing 80" High

BACK COVER

Room Definer 45" High





 **FLARE**
FIREPLACES
Frameless Is More

Flare Fireplaces LLC
1406 Capital Avenue Suite 104
Plano, TX 75074

Phone/ Fax: 1-866-639-1590

flarefireplaces.com | Version 2.0