

FLARE

FIREPLACES

SEE THROUGH INDOOR/OUTDOOR 16" REGULAR GLASS SPECS

Inner Ceramic Glass Thickness: 3/16" Neoceram

Outer Tempered Glass Thickness: 3/16" Clear Tempered

Outer ODK Tempered Glass Thickness: 3/16" Clear Tempered

Inner Black Reflective Sides: 5/32" Black Neoceram

Glass Edges: Flat Polish, All Sides

| SEE THROUGH INDOOR/OUTDOOR 16 REGULAR GLASS | | | | | | | | | |
|---|----------------|---------------|---------------|---------------|--------------------|---------------|-----------------|---------------|---------|
| FIREPLACE | TEMPERED GLASS | | CERAMIC GLASS | | ODK TEMPERED GLASS | | REFLECTIVE BACK | | |
| | <u>LENGTH</u> | <u>HEIGHT</u> | <u>LENGTH</u> | <u>LENGTH</u> | <u>LENGTH</u> | <u>HEIGHT</u> | <u>LENGTH</u> | <u>HEIGHT</u> | |
| ST-100-OD | 96 11/16 | 16 10/16 | 96 11/16 | 16 10/16 | 97 10/16 | 16 10/16 | NA | | |
| ST-80-OD | 79 12/16 | 16 10/16 | 79 12/16 | 16 10/16 | 80 11/16 | 16 10/16 | | | |
| ST-70-OD | 67 3/16 | 16 10/16 | 67 3/16 | 16 10/16 | 68 2/16 | 16 10/16 | | | |
| ST-60-OD | 57 5/16 | 16 10/16 | 57 5/16 | 16 10/16 | 58 4/16 | 16 10/16 | | | |
| ST-50-OD | 47 8/16 | 16 10/16 | 47 8/16 | 16 10/16 | 48 7/16 | 16 10/16 | | | |
| ST-45-OD | 40 13/16 | 16 10/16 | 40 13/16 | 16 10/16 | 41 12/16 | 16 10/16 | | | |
| | | | RBS-ST-R | | | | | 12 5/16 | 15 6/16 |

FLARE

FIREPLACES

SEE THROUGH INDOOR/OUTDOOR 24" HIGH GLASS SPECS

Inner Ceramic Glass Thickness: 3/16" Neoceram

Outer Tempered Glass Thickness: 3/16" Clear Tempered

Outer ODK Tempered Glass Thickness: 3/16" Clear Tempered

Inner Black Reflective Sides: 5/32" Black Neoceram

Glass Edges: Flat Polish, All Sides

| SEE THROUGH INDOOR/OUTDOOR 24 HIGH GLASS | | | | | | | | |
|--|----------------|---------|---------------|---------|--------------------|---------|-----------------|---------|
| FIREPLACE | TEMPERED GLASS | | CERAMIC GLASS | | ODK TEMPERED GLASS | | REFLECTIVE BACK | |
| | LENGTH | HEIGHT | LENGTH | LENGTH | LENGTH | HEIGHT | LENGTH | HEIGHT |
| ST-100-H-OD | 96 10/16 | 24 8/16 | 96 11/16 | 24 8/16 | 97 10/16 | 24 8/16 | NA | |
| ST-80-H-OD | 79 12/16 | 24 8/16 | 79 12/16 | 24 8/16 | 80 11/16 | 24 8/16 | | |
| ST-70-H-OD | 67 3/16 | 24 8/16 | 67 3/16 | 24 8/16 | 68 2/16 | 24 8/16 | | |
| ST-60-H-OD | 57 5/16 | 24 8/16 | 57 5/16 | 24 8/16 | 58 4/16 | 24 8/16 | | |
| ST-50-H-OD | 47 8/16 | 24 8/16 | 47 8/16 | 24 8/16 | 48 7/16 | 24 8/16 | | |
| ST-45-H-OD | 40 13/16 | 24 8/16 | 40 13/16 | 24 8/16 | 41 12/16 | 24 8/16 | | |
| RBS-ST-H | | | | | | | 12 5/16 | 23 4/16 |

FLARE

FIREPLACES

SEE THROUGH INDOOR/OUTDOOR 30" EXTRA HIGH GLASS SPECS

Inner Ceramic Glass Thickness: 3/16" Neoceram

Outer Tempered Glass Thickness: 3/16" Clear Tempered

Outer ODK Tempered Glass Thickness: 3/16" Clear Tempered

Inner Black Reflective Sides: 5/32" Black Neoceram

Glass Edges: Flat Polish, All Sides

| SEE THROUGH INDOOR/OUTDOOR 30" EXTRA HIGH GLASS | | | | | | | | |
|---|----------------|----------|---------------|----------|--------------------|----------|-----------------|---------|
| FIREPLACE | TEMPERED GLASS | | CERAMIC GLASS | | ODK TEMPERED GLASS | | REFLECTIVE BACK | |
| | LENGTH | HEIGHT | LENGTH | LENGTH | LENGTH | HEIGHT | LENGTH | HEIGHT |
| ST-100-EH-OD | 30 13/16 | 96 11/16 | 30 13/16 | 97 10/16 | 30 13/16 | 30 13/16 | NA | |
| ST-80-EH-OD | 30 13/16 | 79 12/16 | 30 13/16 | 80 11/16 | 30 13/16 | 30 13/16 | | |
| ST-70-EH-OD | 30 13/16 | 67 3/16 | 30 13/16 | 68 2/16 | 30 13/16 | 30 13/16 | | |
| ST-60-EH-OD | 30 13/16 | 57 5/16 | 30 13/16 | 58 4/16 | 30 13/16 | 30 13/16 | | |
| ST-50-EH-OD | 30 13/16 | 47 8/16 | 30 13/16 | 48 7/16 | 30 13/16 | 30 13/16 | | |
| ST-45-EH-OD | 30 13/16 | 40 13/16 | 30 13/16 | 41 12/16 | 30 13/16 | 30 13/16 | | |
| RBS-ST-EH | | | | | | | 12 5/16 | 29 8/16 |