


VENTLESS - PARTS LIST



<u>ITEM</u>	<u>PART NUMBER</u>	<u>DESCRIPTION</u>
1	OSXXX-12-5 or OSXXX-12H-5	Inner Back Wall
2	OS-XXX-13-5.1	Burner Tray Holder - Back
3	OS-XXX-15-5	Upper Roof Panel
4	OS-46-5	Upper-Corner Roof Panel
5	OS-08-5 or OS-08H-5	Inner Side
6	OS-44-5	Side Stand
7	OS-XXX-06-5	Burner Tray
8	Burner-XXX	50" (x1), 60" (x2), 70" (x2), 80" (x2), 100" (x2)
9	OS-XXX-21-5	Burner Tray Holder - Front
10	OS-40-5	Pilot
11	OS-37-5	Burner Tray Holder - Corner
12	OS-XXX-20-5	Lower Front Panel
13	Honeywell Box	Honeywell Core
14	Box-for-electronics	Access Door
15	OS-17-05-Side	Lower Side Corner
13	OS-XXX-02-5	Roof
17	OS-XXX-22-5	Front Corner - Roof
18	OS-XXX-17-05	Front Corner - Base

XXX Represents the fireplace size. (50, 60, 70, 80, 100)

FLARE FIREPLACES | VENT FREE [HONEYWELL](#) PARTS LIST

PART DESCRIPTION	PART NUMBER
HONEYWELL PARTS LIST	
Honeywell Spark Cable	1HWSPS
36" Honeywell Spark Cable	1HWSCL
Brass Honeywell Pilot Connector	1HWPBC
Honeywell Data Cable	100HWF
Honeywell Pilot Assembly	10HWPB
Honeywell Premium Remote (On/Off remote)	10HWPR
Honeywell Transformer	100HWT
Honeywell Valve	100HWV
Honeywell Control Board	10HWCBC
Control Module (Honeywell Pilot Interrupter)	100HWR

FLARE FIREPLACES | VENT FREE DOUBLE CORNER WIND GUARD, REFLECTIVE BACK, & REFLECTIVE BACK SIDES

FIREPLACE	WINDGUARD (FRONT)		WINDGUARD SIDE	
	LENGTH	WIDTH	LENGTH	WIDTH
VRC-50	51 5/16"	5"	9 5/8"	5"
VRC-60	59 15/16"	5"	9 5/8"	5"
VRC-70	67 13/16"	5"	9 5/8"	5"
VRC-80	78 1/16"	5"	9 5/8"	5"
VRC-100	96 3/16"	5"	9 5/8"	5"
FIREPLACE	REFLECTIVE BACK			
	16" OPENING		24" OPENING	
	LENGTH	WIDTH	LENGTH	WIDTH
VRC-50	51 9/16"	17 1/16"	51 9/16"	24 15/16"
VRC-60	60 3/16"	17 1/16"	60 3/16"	24 15/16"
VRC-70	68 1/16"	17 1/16"	68 1/16"	24 15/16"
VRC-80	78 5/16"	17 1/16"	78 5/16"	24 15/16"
VRC-100	48 3/8" (x2)	17 1/16"	48 3/8" (x2)	24 15/16"
FIREPLACE	REFLECTIVE SIDES			
	16" OPENING		24" OPENING	
	LENGTH	WIDTH	LENGTH	WIDTH
VRC-50	NA	NA	NA	NA
VRC-60	NA	NA	NA	NA
VRC-70	NA	NA	NA	NA
VRC-80	NA	NA	NA	NA
VRC-100	NA	NA	NA	NA

WIND GUARD THICKNESS: 5/16"

REFLECTIVE BACK THICKNESS: 5/32"